

# PRINTING SYSTEMS SMALL VOLUME ADDRESSING



**SHARP**®

# ADDRESSING SYSTEMS

## **DESKTOP**

Choose from a full line of comprehensive, efficient, and effective address printing solutions designed to fit conveniently on any tabletop. Print addresses, attention lines, postal barcodes, return addresses, and permit indicia. This complete selection provides the flexibility you need to cost-effectively boost productivity, enhance image quality and meet all USPS® requirements.

### FP AJ-5000

The FP AJ-5000 is an entry-level inkjet address printer with the ability to print in brilliant, full-process color. Its shuttle-head design gives it a print area of 8.5" wide by 14" high, allowing printing of entire/complete postcards, envelopes, flats, and documents all in a single pass. The FP AJ-5000 is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

system si	oecifi	catio	ns
-----------	--------	-------	----

ΔΙ	_	5	n	n	C

Speed	
Print quality	
Print area	
Material size	
Material thickness	
Dimensions	
Weight	
Print technology	

up to 4,300 pieces per hr.
from 300 to 1200 dpi
8.5" (W) x 14" (H)
length (5" to 14"), width (3" to 12")
up to 1/16"
17.25" (H) x 22" (L) x 19.5" (W)
40 lbs.
HP 56/57 Inkjet



### **SPECIAL FEATURES**

- Shuttle-head printer allows printing on entire document
- Integrated feeder
- Parallel and high speed USB 2.0 port

### FP AJ-300 and FP AJ-500

The FP AJ-300 and FP AJ-500 are fixed-head, entry-level inkjet address printers. They offer 1.5" of print area and a durable feeding/transport design. The FP AJ-500 system has a variable head and extended hopper that can hold up to 500 #10 envelopes at a time. It also can take materials up to a class-leading 3/16" thick. It is capable of printing IMB including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

### system specifications

AJ-300/AJ-500

Speed	
Print quality	
Print area	
Material size	
Material thickness	
Dimensions	
Weight	
Print technology	

up to 11,000 pieces per hr. (AJ-300)
up to 30,000 pieces per hr. (AJ-500)
from 150 to 600 dpi
1.5" x 14" w/9.5 vertical range
length (5" to 14"), width (3" to 14")
up to 1/8" (AJ-300)
up to 3/16" (AJ-500)
19" (H) x 21" (L) x 20.5" (W)
53 lbs.
HP45A Inkjet



### **SPECIAL FEATURES**

- ▶ 1.5" of print from one print module
- Clutch-control integrated feeder
- Parallel and high speed USB 2.0 port



SHARP

### **DESKTOP ADDRESSING SYSTEMS**

### FP AJ-1000

The versatile FP AJ-1000 has a feed system that has three rows of high grip rollers and the capacity for materials up to 1/4" thick. A key feature is the split 3+2 printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. It is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

### system specifications

Speed
Print quality
Print area
Material size
Material thickness
Dimensions
Weight
Print technology

up to 30,000 pieces per hr.
from 150 to 600 dpi
2.5" x 15" w/ 9" vertical range
length (5" to 15"), width (3" to 13.5")
up to 1/4"
11.5" (H) x 19.56" (L) x 20" (W)
69 lbs.
HP45A Inkjet

AJ-1000



### **SPECIAL FEATURES**

- 2.5" of print from two print modules
- Clutch-control integrated feeder
- Electronic thickness control (1/4")
- Parallel and high-speed USB 2.0 port

### FP AJ-2650 and FP AJ-2800

Print graphics, logos, and barcodes at up to 600 dpi with the FP AJ-2650 a six-head printer, and FP AJ-2800, an eight-head printer. A key feature is the split multiple printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. Built-in cartridge station keeps your mailroom tidy and extends the life of print cartridges, helping save on expenses and environmental impact. Unique top-load feed mechanism quickly processes up to 750 #10 envelopes at up to 3/8" thickness. Visible ink level display helps ensure mailroom productivity.

### system specifications

Speed	
Print quality	
Print area	
Material size	
Material thickness	
Dimensions	
Weight	
Print technology	



up to 36,000 pieces per hr.
from 150 to 600 dpi
3" x 17" w/ 11" vertical range (AJ-2650)
4" x 17 w/ 11' vertical range (AJ-2800)
length (5" to 17"), width (3" to 13.5")
up to 3/8"
23" (H) x 28" (L) x 22" (W)
90 lbs.
HP45A Inkjet



### **SPECIAL FEATURES**

- ▶ Up to 4" of stitched printing in one pass
- Built-in cartridge station
- Parallel and high-speed USB 2.0 port
- Optional conveyor/stacker and drop tray







FP AJ-5000



FP AJ-300 and FP AJ-500



FP AJ-1000



FP AJ-2650 and FP AJ-2800



**SHARP**®